

## ZPMV2.E161212

### Wiring, Printed - Component

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).  
Click on a product designation for complete information.

[Page Bottom](#)

### Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

**E & K LEITERPLATTEN GMBH**  
INDUSTRIEPARK OBERBRUCH  
BOOS-FREMERY-STRASSE 62  
52525 HEINSBERG, GERMANY

E161212

	Cond Width		Cond	SS/ DS/	Max Area	Solder Limits	Max Oper Temp	Flame	Meets UL796	C	
	Min	Edge									Thk
Type	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	C	sec	C	Class	DSR	I
<b>Multilayer printed wiring boards.</b>											
<b>M4</b>	0.080 (0.003)	0.080 (0.003)	12 (0.47) Int:105	DS	76.2 (3.0)	288	20	120	V-0	All	3
<b>ML</b>	0.102 (0.004)	0.102 (0.004)	16.5 (0.65) Int:66	DS	127 (5.0)	280	20	120	V-0	All	*
<b>Multilayer printed wiring boards.</b>											
<b>M3</b>	0.080 (0.003)	0.080 (0.003)	5 (0.20) Int:70	DS	76.2 (3.0)	288	20	120	V-0	All	*
<b>Single layer printed wiring boards.</b>											
<b>1, 2</b>	0.102 (0.004)	0.102 (0.004)	16.5 (0.65)	DS	127 (5.0)	274	20	130	V-0	All	*
<b>3</b>	0.08 (0.003)	0.08 (0.003)	5 (0.20)	DS	76.2 (3.0)	288	20	120	V-0	All	*
<b>4</b>	0.08 (0.003)	0.08 (0.003)	17 (0.67)	DS	76.2 (3.0)	288	20	120	V-0	All	*

\* - CTI Rating may be marked on individual board.

Marking: Company name or tradename "E&K", "EKP" or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

[Last Updated](#) on 2013-11-08

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".

## ZPMV8.E161212

### Wiring, Printed Certified for Canada - Component

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).  
Click on a product designation for complete information.

[Page Bottom](#)

### Wiring, Printed Certified for Canada - Component

[See General Information for Wiring, Printed Certified for Canada - Component](#)


**E & K LEITERPLATTEN GMBH**  
INDUSTRIEPARK OBERBRUCH  
BOOS-FREMERY-STRASSE 62  
52525 HEINSBERG, GERMANY


E161212

Type	Cond Width		Cond	SS/ DS/	Max Area	Max		Max Oper	Meets	C	
	Min	Edge				Solder Limits	Temp				Flame
	mm(in)	mm(in)	Thk	Diam	C			sec	C	Class	
<b>Multilayer printed wiring boards.</b>											
<b>M4</b>	0.080 (0.003)	0.080 (0.003)	12 (0.47) Int:105	DS	76.2 (3.0)	288	20	120	V-0	All	3
<b>ML</b>	0.102 (0.004)	0.102 (0.004)	16.5 (0.65) Int:66	DS	127 (5.0)	280	20	120	V-0	All	*
<b>Multilayer printed wiring boards.</b>											
<b>M3</b>	0.080 (0.003)	0.080 (0.003)	5 (0.20) Int:70	DS	76.2 (3.0)	288	20	120	V-0	All	*
<b>Single layer printed wiring boards.</b>											
<b>1, 2</b>	0.102 (0.004)	0.102 (0.004)	16.5 (0.65)	DS	127 (5.0)	274	20	130	V-0	All	*
<b>3</b>	0.08 (0.003)	0.08 (0.003)	5 (0.20)	DS	76.2 (3.0)	288	20	120	V-0	All	*
<b>4</b>	0.08 (0.003)	0.08 (0.003)	17 (0.67)	DS	76.2 (3.0)	288	20	120	V-0	All	*

\* - CTI Rating may be marked on individual board.

Marking: Company name or tradename "E&K", "EKP", or file number and type designation and the Recognized Component Mark



for Canada, . May be followed by a suffix to denote factory identification or burning test classification.

[Last Updated](#) on 2013-11-08

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".